Brochure

# Original HP large format printing materials & supplies

## For graphics & technical applications



# HP bond & coated papers

## Bond papers

### HP Splash Resistant Bond Paper [5]

HP Splash Resistant Bond Paper with ColorPRO Technology provides improved protection for prints with splash resistance with HP Bright Office inks. Experience reliable, trouble-free performance at production speed.

Weight: **80 g/m² (21 lb)** Thickness/caliper: **106 microns/4.2 mil** Whiteness: **160**[6] Brightness: **110%**[7] Opacity: **91%**[8]

### HP Universal Bond Paper [5]

FSC®-certified (Also available in 3-in core.)

HP Universal Bond Paper with ColorPRO Technology delivers professional quality and striking results at production speed. See more striking colors, crisper text and graphics, and higher-contrast blacks.

Weight: **80 g/m² (21 lb)** Thickness/caliper: **106 microns/4.2 mil** Whiteness: **160**[6] Brightness: **110%**[7] Opacity: **91%**[8]

### HP Bright White Inkjet Paper [5]

FSC®-certified (Also available in 3-in core.)

HP Bright White Inkjet Paper with ColorPRO Technology is our brightest white bond paper. This cost-effective paper is ideal for everyday black and color line drawings. See the ColorPRO difference with high-impact graphics and an extended range of colors.

Weight: **90 g/m² (24 lb)** Thickness/caliper: **119 microns/4.0 mil** Whiteness: **166**[6] Brightness: **113%**[7] Opacity: **94%**[8]

### HP 20-lb Bond with ColorPRO Technology [5]

Produce high-impact graphics with a wide range of colors; precise lines; and sharp, fine detail. HP 20-lb Bond with ColorPRO Technology uses 20% less ink & 30% more color than standard bond papers without ColorPRO Technology.

Weight: **75 g/m² (20 lb)** Thickness/caliper: **101 microns/4.7 mil** Whiteness: **166**[6] Brightness: **92%**[7] Opacity: **88%**[8]

## Coated papers

### HP Coated Paper [5]

FSC®-certified (Also available in 3-in core.)

Do more with this versatile premium bright white paper—from working comps and design proofs to fine line drawings and illustrations. This premium bright white paper is easy to handle and provides high-quality, consistent results.

Weight: **90 g/m² (24 lb)** Thickness/caliper: **114 microns/4.5 mil** Whiteness: **145**[9] Brightness: **89%**[10] Opacity: **>96%**[11,8]

### HP Satin Wrapping Paper, 3-in Core [5]

FSC®-certified

Print personal images, logos, and messages, with this customizable wrapping paper. Offer your customers this profitable, custom wrapping paper with little to no investment.

Weight: **100 g/m2** Thickness/caliper: **99 microns/3.9 mil** Whiteness: **>122**[9,14] Brightness: **>97%**[10] Opacity: **>90%**[11]

### HP Universal Coated Paper [5]

FSC®-certified (Also available in 3-in core.)

HP Universal Coated Paper is an economical material ideal for a variety of technical and graphics applications from working comps and design proofs to POP signage and special event posters.

Weight: **90 g/m² (24 lb)** Thickness/caliper: **124 microns/4.9 mil** Whiteness: **117**[12] Brightness: **89%**[10] Opacity: **89%**[11]

### HP Universal Heavyweight Coated Paper [5]

FSC®-certified

This economical printing material is ideal for a variety of medium ink-density graphics and technical applications including presentations, indoor signs, and posters that are frequently replaced.

Weight: **125 g/m² (35 lb)** Thickness/caliper: **172 microns/6.8 mil** Whiteness: **133**[12] Brightness: **>97%**[10] Opacity: **>92%**[11]

### HP Heavyweight Coated Paper [5]

FSC®-certified (Also available in 3-in core.)

HP Heavyweight Coated Paper is ideal for durable, long-term applications such as signs and posters. The bright, matte inkjet paper makes colorful, light ink-density images look crisp and smooth.

Weight: **131 g/m² (35 lb)** Thickness/caliper: **167 microns/6.6 mil** Whiteness: **144**[12] Brightness: **89%**[10] Opacity: **96%**[11]

COLORPRO TECHNOLOGY

COLORPRO TECHNOLOGY

COLORPRO TECHNOLOGY

COLORPRO TECHNOLOGY

5 Can be recycled through commonly available recycling programs.
6 Per ISO 11475 Test Method.
7 Per ISO 2470-2 Test Method.
8 Per ISO 2471 Test Method.
9 Per CIE Whiteness ISO 11475 D65/10° Outdoor Daylight Test Method.
10 Per TAPPI T-452 Test Method.
11 Per TAPPI T-425 Test Method.
12 Per CIE Ganz 82 Test Method.
13 HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/ecosolutions for details.
14 Per ASTM E-313 Test Method.
15 Per ISO 2469 Test Method.
16 Per ISO 2470 Test Method.
17 Per CIE Ganz 82 Test Method.
18 Per TAPPI T-452 Test Method.
19 Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab. For more information, see HPLFMedia.com.com/printpermanance.



[20] In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.
[21] Per ISO 11476 Test Method.
[22] Per ISO 2471 Test Method.

**Coated papers (continued)**

**HP Super Heavyweight Plus Matte Paper** [5] (Also available in 3-in core.)

HP Super Heavyweight Plus Matte Paper is a best-in-class graphics display media that delivers sharp image quality and ripple-free prints, even with high ink density. Enhance productivity with broad application versatility, instant dry time, and excellent film laminate compatibility. See a rich, distinctive look and feel with the ultra-white matte finish.

Weight: **200 g/m² (55 lb)** Thickness/caliper: **264 microns /10.4 mil** Whiteness: **>130**[12] Brightness: **100%**[10] Opacity: **98%**[11]

## HP technical papers

**HP Special Inkjet Paper** [5] FSC®-certified
HP Special Inkjet Paper is an economical everyday paper, ideal for high/resolution presentation graphics.

Weight: **131 g/m²** Thickness/caliper: **172 microns/6.8 mil** Whiteness: **240**[12] Brightness: **92%**[10] Opacity: **92%**[11]

**HP Natural Tracing Paper** [5] FSC®-certified
HP Natural Tracing Paper is designed for reproducible final drawings that are highly durable.

Weight: **90 g/m²** Thickness/caliper: **76 microns/3 mil** Whiteness: **>120**[21] Brightness: **61%**[10] Opacity: **25%**[11]

**HP Translucent Bond Paper** [5]

This economical alternative to vellum is ideal for reproducible drawings and check prints.

Weight: **63 g/m²** Thickness/caliper: **71 microns/2.8 mil** Whiteness: **>113**[12] Brightness: **90%**[10] Opacity: **77%**[11]

## HP films (graphics & technical)

**HP Clear Film** [13]

HP Clear Film is ideal for multiple overlays and transparent images. This optically clear film provides excellent ink adhesion and bleed control as well as bright, vivid colors.

Weight: **156 g/m²** Thickness/caliper: **119 microns/4.7 mil** Whiteness: **130**[12] Brightness: **>95%**[10] Opacity: **8%**[11]

**HP Matte Film** [13]

Keep track of changes during the review process. Redraw in pen, pencil, or marker on the erasable side, write with pen on the traditional drafting coating on the opposite side. This smear-resistant, archival, and recyclable[13] film produces sharp black and color lines and uniform solid areas and is ideal for original and high-volume reproducible drawings.

Weight: **160 g/m²** Thickness/caliper: **127 microns/5 mil** Whiteness: **130**[12] Brightness: **72%**[15] Opacity: **34%**[16]

## HP photographic papers

**Optimized for Original HP dye-based inks**

**HP Universal Gloss Photo Paper** [20] FSC®-certified

HP Universal Gloss Photo Paper is an economical and versatile choice for presentation graphics, displays, and color presentations.

Weight: **200 g/m²** Thickness/caliper: **187 microns/7.4 mil** Whiteness: **120**[12] Brightness: **>95%**[16] Opacity: **95%**[11]

**HP Universal Satin Photo Paper** [20] FSC®-certified

HP Universal Satin Photo Paper is a versatile, economical satin-finish paper that provides excellent image quality and vivid color for presentation graphics, displays, and presentations.

Weight: **200 g/m²** Thickness/caliper: **187 microns/7.4 mil** Whiteness: **120**[12] Brightness: **>95%**[16] Opacity: **95%**[11]

COLORPRO TECHNOLOGY

COLORPRO TECHNOLOGY

# HP photographic papers (continued)

**Optimized for Original HP pigment-based inks**

**HP Universal Instant-dry Gloss Photo Paper** [23] FSC®-certified

COLORPRO TECHNOLOGY

This economical gloss-finish photo paper has been improved, now offering even higher image quality with deeper blacks and more vivid colors. Prints dry instantly for immediate handling and lamination. And indoor displays on this FSC®-certified paper provide exceptional display permanence.[24]

Weight: **200 g/m²** Thickness/caliper: **195 microns/7.7 mil** Whiteness: **99**[21] Brightness: > **92%**[18] Opacity: > **94.5%**[22]

**HP Universal Instant-dry Satin Photo Paper** [23] FSC®-certified

COLORPRO TECHNOLOGY

This economical satin-finish photo paper has been improved, now offering even higher image quality with deeper blacks and more vivid colors. Prints dry instantly for immediate handling and lamination. And indoor displays on this FSC®-certified paper provide exceptional display permanence.[24]

Weight: **200 g/m²** Thickness/caliper: **195 microns/7.7 mil** Whiteness: **99**[21] Brightness: > **92%**[18] Opacity: > **94.5%**[22]

**HP Premium Instant-dry Satin Photo Paper** [23] FSC®-certified

COLORPRO TECHNOLOGY

This premium satin-finish photo paper has been improved to offer unrivaled image quality for brilliant photos and high-impact display graphics—from posters and presentations to retail graphics. Prints dry instantly for immediate handling and lamination. And indoor displays on this FSC®-certified paper provide exceptional display permanence.[24]

Weight: **260 g/m²** Thickness/caliper: **261 microns/10.3 mil** Whiteness: **104**[12] Brightness: **92%**[18] Opacity: **97%**[11]

**HP Premium Instant-dry Gloss Photo Paper** [23] FSC®-certified

COLORPRO TECHNOLOGY

This premium gloss-finish photo paper achieves deep blacks and vivid colors on a brilliantly white sheet for high-quality photos and display graphics. Images seem to pop right off the page with this FSC®-certified paper. Instant-dry prints can be laminated immediately.

Weight: **260 g/m²** Thickness/caliper: **261 microns/10.3 mil** Whiteness: **105**[12] Brightness: **92%**[18] Opacity: **97%**[11]

**HP Professional Instant-dry Satin Photo Paper**

This professional, satin-finish photo paper is ideal for printing photographs with vivid, true-to-life colors, realistic skin tones, rich blacks, and sharp details. The professional-grade weight adds a gallery-ready look and feel and enables easier handling of large-size exhibition prints. Long-lasting display prints provide exceptional display permanence.[24]

Weight: **300 g/m²** Thickness/caliper: **297 microns/11.7 mil** Whiteness: > **130**[14] Brightness: **>100%**[18, 16] Opacity: **> 97%**[11], **>95%**[22]

**HP Premium Matte Photo Paper** [23] FSC®-certified

This premium photo paper features a smooth matte surface together with a sturdy 210-g/m² weight ideal for producing professional, ripple-free prints. Instant-dry prints enable immediate lamination.

Weight: **200 g/m²** Thickness/caliper: **264 microns /10.4 mil** Whiteness: **130**[12] Brightness: **100%**[16] Opacity: **98%**[11]

**HP Satin Wrapping Paper, 3-in Core** [23] FSC®-certified

Print personal images, logos, and messages, with this customizable wrapping paper. Offer your customers this profitable, custom wrapping paper with little to no investment.

Weight: **100 g/m2** Thickness/caliper: **99 microns/3.9 mil** Whiteness: **122**[9] Brightness: **97%**[10] Opacity: **90%**[11]

**HP Everyday Instant-dry Gloss Photo Paper** [23] FSC®-certified

COLORPRO TECHNOLOGY

Enjoy the productivity advantages of a photo paper designed to provide excellent everyday image quality while keeping your workflow running smoothly. With a fast dry time, prints are easy to handle - and you can move quickly to lamination.

Weight: **235 g/m2** Thickness/caliper: **231 microns/9.1 mil** Whiteness: **90**[9] Brightness: **90%**[10] Opacity: **96%**[11]

**HP Everyday Instant-dry Satin Photo Paper** [23] FSC®-certified

COLORPRO TECHNOLOGY

Gain versatility with this everyday photo paper—from presentations to displays to photo enlargements—and achieve consistent, high-impact photo image quality while meeting environmental objectives.

Weight: **235 g/m2** Thickness/caliper: **231 microns/9.1 mil** Whiteness: **90**[9] Brightness: **90%**[10] Opacity: **96%**[11]

[23] In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.

[24] Indoor display permanence ratings by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see HPLFMedia.com/printpermanence.

[25] Per ISO 11476 Test Method.

[26] Per TAPPI T-452 Test Method.

[27] Per ISO 2471 Test Method.

[28] Per CIE Ganz 82 Test Method.

[29] Per DIN 53146 Test Method.

[30] Per ISO 2470 Test Method.

# HP backlit materials

### HP Backlit Polyester Film [13]

Create high-impact backlits with the sharp, vibrant color that commands attention. With a specially engineered coating, this polyester film provides saturated colors and deep, dense blacks to produce razor-sharp, vibrant images that stand out when backlit.

Weight: **275 g/m²** Thickness/caliper: **220 microns/8.7 mil** Whiteness: **90[12], 110[21]** Brightness: **≥80%[18]** Opacity: **≥80%[11], ≥ 74%[22]**

### HP Premium Vivid Color Backlit Film [13]

With a porous coating on the printable front side, HP Premium Vivid Color Backlit Film enhances image definition and provides excellent color contrast. A thick, stiff construction enables easy handling. Designed together with Original HP pigment inks, this film produces fast-dry prints with excellent indoor, in-window display permanence.[32]

Weight: **285 g/m²** Thickness/caliper: **220 microns/8.7 mil** Whiteness: **90[12], 110[21]** Brightness: **≥80%[18]** Opacity: **≥77%[11], ≥ 74%[22]**

[31] HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See HPLFMedia.com/hp/ecosolutions for details.

[32] Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see HPLFMedia.com/hp/t/printpermanence.

[33] Per CIE Ganz 82 Test Method.

[34] Per ISO 11476 Test Method.

[35] Per TAPPI T-452 Test Method.

[36] Per TAPPI T-425 Test Method.

[37] Per ISO 2471 Test Method.

# HP self-adhesive materials

REACH

### HP Universal Adhesive Vinyl, 2 Pack

An economical, everyday adhesive vinyl ideal for indoor applications. HP Universal Adhesive Vinyl is easy to use and produces long-lasting, eye-catching displays.

| Weight: | Thickness/caliper: | Whiteness: | Brightness: | Opacity: |
|---|---|---|---|---|
| **Without liner: 160 g/m²**<br>**With liner: 300 g/m²** | **Without liner: 144 microns (5.7 mil)**<br>**With liner: 271 microns (10.7 mil)** | **With liner: 127[6]** | **With liner: 100%[16]** | **With liner: >99%[11, 22]** |

### HP Everyday Adhesive Matte Polypropylene, 2 Pack (Also available in 3-in core.)

A versatile and durable polypropylene film that produces quality prints with excellent color vibrancy at an everyday price. Ideal for both indoor and outdoor applications.

| Weight: | Thickness/caliper: | Whiteness: | Brightness: | Opacity: |
|---|---|---|---|---|
| **Without liner: 120 g/m²**<br>**With liner: 168 g/m²** | **Without liner: 180 microns (7.1 mil)**<br>**With liner: 215 microns (8.5 mil)** | **With liner: 150[6]** | **With liner: 101%[16]** | **With liner: >96%[11, 22]** |

### HP Everyday Adhesive Gloss Polypropylene, 2 Pack

This self-adhesive polypropylene film produces glossy prints with excellent color vibrancy and brilliant, photo-realistic images. Tear-resistant and easy to handle, its strong adhesive ensures secure, reliable mounting.

| Weight: | Thickness/caliper: | Whiteness: | Brightness: | Opacity: |
|---|---|---|---|---|
| **Without liner: 140 g/m²**<br>**With liner: 190 g/m²** | **Without liner: 193 microns (7.6 mil)**<br>**With liner: 228 microns (9 mil)** | **With liner: 90%[22],130[6]** | **With liner: 90%[16]** | **With liner: >95%[11], >96%[22]** |

### HP Removable Adhesive Fabric

This repositionable adhesive-back fabric is easy to install, reposition, and remove with virtually no residue. Tested and approved for indoor smooth floor graphics and other non-porous surfaces.

| Weight: | Thickness/caliper: | Whiteness: | Brightness: | Opacity: |
|---|---|---|---|---|
| **With liner: 289 g/m²** | **With liner: 304 microns (12 mil)** | **With liner: 118** | **With liner: 87%[16]** | **With liner: >85%[11],** |

# HP banner & sign materials

### HP Opaque Scrim

HP Opaque Scrim is a matte, opaque PVC banner with a tear-resistant polyester fabric embedded between two white vinyl layers. It is an easy-to-use, high-quality material for banners, decorating, and indoor and outdoor signs.

Weight: **495 g/m²** Thickness/caliper: **378 microns/14.9 mil** Whiteness: **127**[17] Brightness: **98%**[18] Opacity: **100%**[11]

### HP Premium Matte Polypropylene, 2 Pack [13]

This versatile, durable matte polypropylene film is water-[48] and tear-resistant, making it ideal for both indoor and outdoor applications full of brilliant color and edge definition. And it's recyclable.[47]

Weight: **140 g/m²** Thickness/caliper: **231 microns (9.1 mil)** Whiteness: **140**[14] Brightness: **>99%**[18] Opacity: **96%**[11], **98%**[22]

### HP Durable Semi-gloss Display Film

HP Durable Semi-gloss Display Film is an opaque, white inkjet-compatible coated PET film designed for pop-up display and roll-up indoor presentation systems. No backside lamination is needed, and this film is resistant to stress from rolling and unrolling.

Weight: **265 g/m²** Thickness/caliper: **198 microns/7.8 mil** Whiteness: **N/A** Brightness: **119%**[30] Opacity: **>99%**[29]

### HP Everyday Matte Polypropylene, 2 Pack [13]

(Also available in 3-in core.)

Produce high-impact signs with this versatile, durable matte polypropylene film. This tear-resistant substrate is easy to use and handle, and is ideal for both indoor and outdoor applications.

Weight: **120 g/m²** Thickness/caliper: **203 microns/8 mil** Whiteness: >**113**[21] Brightness: **>101%**[16] Opacity: >**96%**[11]

### HP Everyday Blockout Display Film

This economical display film has an innovative three-layer construction with polyester and polypropylene which produces rigid, durable displays with excellent lay-flat properties.

| Weight: | Thickness/caliper: | Whiteness: | Brightness: | Opacity: |
|---|---|---|---|---|
| **220 g/m²** | **248 microns (9.8 mil)** | **133%**[21, 6] | **>95%**[30] | **>99%**[27], **100%**[27] |

### HP Durable Synthetic Banner, 2 Pack [13]

HP Durable Synthetic Banner is engineered with DuPont™ Tyvek® material and together with Original HP inks, produces moderately water-resistant[1] and tear-resistant prints. Indoor prints last over 75 years.

| Weight: | Thickness/caliper: | Whiteness: | Brightness: | Opacity: |
|---|---|---|---|---|
| **133 g/m²** | **299 microns (11.8 mil)** | **125%**[22], **154**[5] | **>99%**[10], **>102%**[16] | **>96%**[11, 12] |

### HP Durable Foldable Document Material

Tough handling and display conditions demand a resilient, durable material. HP Durable Foldable Document Material is engineered with DuPont™ Tyvek® material and is designed to produce tear-resistant, foldable maps, documents, and posters.

Weight: **87 g/m²** Thickness/caliper: **190 microns/7.5 mil** Whiteness: **127** Brightness: **98%**[30] Opacity: **100%**[29]

### HP Production Banner

From long-lasting indoor displays to demanding outdoor display conditions, this durable banner material can handle it all. Brilliant image quality is preserved in water - and tear-resistant prints. Full 100% opacity provides for no show-through on the back side.

Weight: **495 g/m²** Thickness/caliper: **378 microns/14.9 mil** Whiteness:**126** Brightness: **102%**[30] Opacity: **>95%**[29]

# HP fine art printing materials

### HP Matte Litho-realistic Paper, 3-in Core [23] FSC®-certified

HP Matte Litho-realistic Paper delivers outstanding results with the look, feel, and longevity of a heavy, matte offset paper. This natural-white paper is ideal for high-quality poster art and other cost-effective art reproductions.

Weight: **269 g/m²** Thickness/caliper: **307 microns/12.1 mil** Whiteness: **95**[6] Brightness: **95%**[26] Opacity: **>98%**[11]

### HP Artist Matte Canvas

HP Artist Matte Canvas has a natural, artistic look and feel for photo enlargements and reproductions. This affordable canvas produces true artistic quality with precise colors on a bright-white, slightly textured matte finish.

Weight: **390 g/m²** Thickness/caliper: **396 microns/15.6 mil** Whiteness: **117**[14] Brightness: **97%**[26] Opacity: **>99%**[11]

### HP Professional Matte Canvas

HP Professional Matte Canvas now offers a more consistent base fabric. Museum-quality, matte-finish prints achieve vivid, accurate color reproduction with a bright white surface and improved color gamut ideal for fine art and photographs.[62] Long-lasting, water-resistant[63] prints preserve your work. A flexible finish resists cracking for easier mounting. And broad laminate compatibility includes water-based liquid laminates.

Weight: **392 g/m²** Thickness/caliper: **459 microns/18.1 mil** Whiteness: **133**[14] Brightness: **101%**[26] Opacity: **>99%**[11]

### HP Recycled Satin Canvas [23]

REACH

Meet environmental goals with this REACH compliant[2] canvas made with recycled water bottles[11] and coating materials. This affordable canvas provides single-step print production, eliminating the need for costly and time-consuming top coating and is also available for the HP take-back program [1].

Weight: **330 g/m²** Thickness/caliper: **441 microns/17.4 mil** Whiteness: **85**[14] Brightness: **89%**[26] Opacity: **>94%**[11]



[1] HP Large Format Media take-back program availability varies. Recycling programs may not exist in your area. See **HPLFMedia.com/ecosolutions** for details.

[2] Visit **HPLFMedia.com/ecosolutions** to see how to participate and for HP Planet Partners program availability; program may not be available in your area. Where this program is not available, consult the Material Safety Data Sheet (MSDS) available at **HPLFMedia.com/ecosolutions** to determine appropriate disposal.

FSC www.fsc.org FSC® C115319
The mark of responsible forestry

# HP graphics and technical printing materials

**for HP large format printers**

*Compatibility and Availability Information*

*Original HP inks and HP printing materials–system chemistry*

Original HP inks and printing materials are designed together to provide image quality, durability, and consistency you can rely on. Reliable results enable increased productivity and reduced costs.

Original HP inks are more than just ink, and HP large format printing materials are far more than just paper. It's the chemical makeup of each, together with the carefully engineered interaction between the two, that make exceptional results possible. Image quality and consistency so predictable, it's almost cliché. Print permanence that's measured in generations, not months or years. Breakthrough innovations that give you real alternatives to traditional materials that, by nature, must trade-off quality, durability, even environmental considerations. The unique chemistry between HP inks and HP large format printing materials changes all that – among the broad array of materials offered in the HP large format printing materials portfolio, you can have it all.

*Original HP inks and printheads*

Original HP printing supplies feature intelligent technology, built into the ink cartridges, printheads, and the printer. These critical system components communicate interactively to provide automatic and continuous adjustments that optimise print quality and maximize printhead life. Individually-replaceable printheads enable easy, low-maintenance, cost-effective printing.

*Designed with the environment in mind*

Many HP graphics and technical printing materials are recyclable through commonly available recycling programs. And in some cases, HP offers the free, convenient HP Large Format Media take-back program.[1] And the HP Planet Partners program provides easy, convenient return and recycling of most Original HP DesignJet ink cartridges and printheads.[2]

## Compatibility & Availability Chart

Printer availability varies by region. Americas includes the United States, Canada, and Latin America. Europe includes Europe, Middle East, and Africa.

**HP Graphics and Technical Printing Materials**

| | Part number | Metric size (mm x m) | Imperial size (in x ft) | Region availability: 3-in Core | 2 Pack | 4 Pack | 44-roll Tub | 88-roll Tub | Americas | Japan | Asia (not Japan) | Europe | HP DesignJet Printer/Photo Printer/Multifunction Printer Compatibility and Ink Technology — HP pigment inks: DesignJet Z2100 | DesignJet Z2600 | DesignJet Z3100 | DesignJet Z3200 | DesignJet Z5200 | DesignJet Z5400 | DesignJet Z5600 | DesignJet Z6100 | DesignJet Z6200 | DesignJet Z6600 | DesignJet Z6610 | DesignJet Z6800 | DesignJet Z6810 | DesignJet Z6 | DesignJet Z9+ | HP dye color inks: DesignJet 5000 Dye | DesignJet 5500 Dye | DesignJet D5800 | DesignJet T100/ T1120/ T125/T130 | DesignJet T520/ T525/ T530 | DesignJet T730 | DesignJet T830 MFP | DesignJet T610 | DesignJet T770 | DesignJet T790 | DesignJet T795 | DesignJet T1100 | DesignJet T1120 | DesignJet T1200 | DesignJet T1300 | DesignJet T2300 MFP | DesignJet T920 | DesignJet T930 | DesignJet T1500 | DesignJet T1530 | DesignJet T1600 | DesignJet T2500 MFP | DesignJet T2530 MFP | DesignJet T2600 MFP | DesignJet T3500 MFP | DesignJet T200 | DesignJet T600/Studio | DesignJet XL 3600 MFP | DesignJet T1700 | DesignJet T620 | DesignJet T7100 | DesignJet T7200 | DesignJet 111 | DesignJet 130[3] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **HP Bond and Coated Papers** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Splash-resistant Bond Paper ♻[5] | 2B0W8A | 610 x 45,7 | 24 x 150 | | | ● | | | ● | | | | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | | | | | | | |
| | 2B0X2A | 762 x 45,7 | 30 x 150 | | | ● | | | ● | | | | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | |
| | 2B0W9A | 914 x 45,7 | 36 x 150 | | | ● | | | ● | | | | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | |
| | 2B0X0A | 610 x 91,4 | 24 x 300 | | ● | | | | ● | | | | ● | | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | |
| | 2B0X3A | 762 x 91,4 | 30 x 300 | | ● | | | | ● | | | | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | |
| | 2B0X1A | 914 x 91,4 | 36 x 300 | | ● | | | | ● | | | | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | |
| | SA025A | 610 x 45,7 | | | ● | | | | | ● | | | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| | Q1396A | 610 x 45,7 | 24 x 150 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| | Q1397A | 914 x 45,7 | 36 x 150 | | | | | | ● | ● | ● | ● | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | ● | | | [36] | | | ● | | | | | | | | | | | | | | ● | | [36] | ● | ● | | ● | | | |
| | Q1398A | 1067 x 45,7 | 42 x 150 | | | | | | ● | ● | ● | ● | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | ● | | | | [44] | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| | M2N04A | 457 x 152,4 | 18 x 500 | ● | | | | | ● | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| | K6B88A | 610 x 152,4 | 24 x 500 | ● | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| HP Universal Bond Paper (FSC® certified)[4] ♻[5] | M2N05A | 762 x 152,4 | 30 x 500 | ● | | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| | L4L08A | 914 x 152,4 | 36 x 500 | ● | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| | Q8751A | 914 x 175 | 36 x 574 | | | | | | ● | | | ● | | | | | | | | ● | ● | | | | | | | | | | | | [36] | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| | M2N06A | 914 x 175,2 | 36 x 575 | ● | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| | Q8003A | (A1) 594 x 45,7 | | | | | | | | ● | ● | | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| | Q8004A | (A1) 594 x 91,4 | | | | | | | | ● | ● | | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | ● | | | | | | | ● | | | | | | | | | | | | | | ● | | ● | ● | ● | ● | | |
| | Q8005A | (A0) 841 x 91,4 | | | | | | | | ● | ● | | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | ● | | | | [44] | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| | C1860A | 610 x 45,7 | 24 x 150 | | | | | | ● | | | | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| | C1861A | 914 x 45,7 | 36 x 150 | | | | | | ● | | | | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | ● | | | [36] | | | ● | | | | | | | | | | | | | | ● | | [36] | ● | ● | | ● | | | |
| | C6035A | 610 x 45,7 | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| | C6036A | 914 x 45,7 | | | | | | | | ● | ● | ● | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | ● | | | [36] | | | ● | | | | | | | | | | | | | | ● | | [36] | ● | ● | | ● | | | |
| HP Bright White Inkjet Paper (FSC® certified)[4] ♻[5] | C6810A | 914 x 91,4 | 36 x 300 | | | | | | ● | ● | ● | ● | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | ● | | | | [44] | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| | L4Z44A | 610 x 152,4 | 24 x 500 | ● | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| | L4Z45A | 914 x 152,4 | 36 x 500 | ● | | | | | ● | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | | | | | |
| | Q1446A | (A2) 420 x 45,7 | | | | | | | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| | Q1445A | (A1) 594 x 45,7 | | | | | | | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● |
| | Q1444A | (A0) 841 x 45,7 | | | | | | | | ● | ● | ● | [44] | | [44] | ● | ● | ● | ● | | ● | | | | | [44] | | | | | ● | | | [36] | | | ● | | | | | | | | | | | | | | ● | | [36] | ● | ● | | ● | | | |

# Compatibility & Availability Chart

Printer availability varies by region. Americas includes the United States, Canada, and Latin America. Europe includes Europe, Middle East, and Africa.

## HP Graphics and Technical Printing Materials

| | Part number | Metric size (mm x m) | Imperial size (in x ft) | 3-in Core | 2 Pack | 4 Pack | 44-roll Tub | 88-roll Tub | Region availability: Americas | Japan | Asia (not Japan) | Europe | HP DesignJet Printer/Photo Printer/Multifunction Printer Compatibility and Ink Technology — HP pigment inks: DesignJet Z2100 | DesignJet Z2600 | DesignJet Z3100 | DesignJet Z3200 | DesignJet Z5200 | DesignJet Z5400 | DesignJet Z5600 | DesignJet Z6100 | DesignJet Z6200 | DesignJet Z6600 | DesignJet Z6610 | DesignJet Z6800 | DesignJet Z6810 | DesignJet Z6 | DesignJet Z9+ | HP dye color inks: DesignJet 5000 Dye | DesignJet 5500 Dye | DesignJet D5800 | DesignJet T100/ T120/ T125/ T130 | DesignJet T520/ T525/ T530 | DesignJet T730 | DesignJet T830 MFP | DesignJet T610 | DesignJet T770 | DesignJet T790 | DesignJet T795 | DesignJet T1100 | DesignJet T1120 | DesignJet T1200 | DesignJet T1300 | DesignJet T2300 MFP | DesignJet T920 | DesignJet T930 | DesignJet T1500 | DesignJet T1530 | DesignJet T1600 | DesignJet T2500 MFP | DesignJet T2530 MFP | DesignJet T2600 MFP | DesignJet T3500 MFP | DesignJet T200 | DesignJet T600/Studio | DesignJet XL 3600 MFP | DesignJet T1700 | DesignJet T620 | DesignJet T7100 | DesignJet T7200 | DesignJet 111 | DesignJet 130[7] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **HP Bond and Coated Papers (continued)** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP 20-lb Bond with ColorPRO Technology[6] (FSC® certified)[4][5] | V0D54A | 457 x 152,4 | 18 x 500 | ● | | ● | | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | V0D55A | 457 x 152,4 | 18 x 500 | ● | | | ● | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | V0D58A | 610 x 152,4 | 24 x 500 | ● | ● | | | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | V0D59A | 610 x 152,4 | 24 x 500 | ● | | | ● | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | V0D60A | 762 x 152,4 | 30 x 500 | ● | ● | | | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | V0D62A | 762 x 152,4 | 30 x 500 | ● | | | ● | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | V0D66A | 914 x 152,4 | 36 x 500 | ● | ● | | | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | V0D68A | 914 x 152,4 | 36 x 500 | ● | | | ● | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Y3P46A | 1016 x 152,4 | 40 x 500 | ● | ● | | | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Y3P48A | 1016 x 152,4 | 40 x 500 | ● | | | ● | | ● | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Universal Coated Paper (FSC® certified)[4] [5] | Q1404B | 610 x 45,7 | 24 x 150 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | ● | ● | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | Q1405B | 914 x 45,7 | 36 x 150 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | 36 | | 44 | | ● | 36 | ● | ● | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1406B | 1067 x 45,7 | 42 x 150 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1408B | 1524 x 45,7 | 60 x 150 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | L5C74A | 914 x 91,4 | 36 x 300 | ● | | | | | ● | ● | ● | ● | 44[7] | | 44[7] | ●[7] | ●[7] | ●[7] | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | ●[7] | | | | | | |
| | L5C73A | (A0) 841 x 91,4 | | ● | | | | | | | ● | ● | 44[7] | | 44[7] | ●[7] | ●[7] | ●[7] | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | ●[7] | | | | | | |
| HP Coated Paper (FSC® certified)[4] [5] | C6019B | 610 x 45,7 | 24 x 150 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | ● | ● | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | C6020B | 914 x 45,7 | 36 x 150 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | C6567B | 1067 x 45,7 | 42 x 150 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | C6568B | 1372 x 45,7 | 54 x 150 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | C6980A | 914 x 91,4 | 36 x 300 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1442A | (A1) 594 x 45,7 | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | ● | ● | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | Q1441A | (A0) 841 x 45,7 | | | | | | | | ● | | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Satin Wrapping Paper (FSC® certified)[4] [5] | Z6G70A | 762 x 45,7 | 30 x 150 | ● | | | | | ● | | | | 44[7] | | 44[7] | 44[7] | 44[7] | ●[7] | | ●[7] | ●[7] | 44[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4WM99A | 914 x 45,7 | | ● | | | | | | | ● | ● | 44[7] | | 44[7] | 44[7] | 44[7] | ●[7] | | ●[7] | ●[7] | 44[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4WN17A | 610 x 152,4 | 24 x 500 | ● | ● | | | | ● | | | | ●[7] | ●[7] | | 44[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6SE66A | 762 x 152,4 | 30 x 500 | ● | ● | | | | ● | | | | 44[7] | | | 44[7] | 44[7] | ●[7] | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4WN18A | 914 x 152,4 | 36 x 500 | ● | ● | | | | ● | | | | 44[7] | | | 44[7] | 44[7] | ●[7] | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Universal Heavyweight Coated Paper (FSC® certified)[4] [5] | Q1412B | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | ● | ● | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | Q1413B | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1414B | 1067 x 30,5 | 42 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1416B | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R44B | 914 x 61 | 36 x 200 | ● | | | | | ● | | | | 44[7] | | 44[7] | ●[7] | ●[7] | ●[7] | | ●[7] | ●[7] | 44[7] | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | ●[7] | | | | | | |
| | D9R46B | 1372 x 61 | 54 x 200 | ● | | | | | ● | | | | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R47B | 1524 x 61 | 60 x 200 | ● | | | | | ● | | | | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | L5C80A | 914 x 91,4 | 36 x 300 | ● | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Heavyweight Coated Paper (FSC® certified)[4] [5] | C6029C | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | ● | ● | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| | C6030C | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | C6569C | 1067 x 30,5 | 42 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | C6570C | 1372 x 30,5 | 54 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | C6977C | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1956A | 1067 x 68,5 | 42 x 225 | | | | | | ● | | | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1957A | 1524 x 68,5 | 60 x 225 | | | | | | ● | | | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Super Heavyweight Plus Matte Paper (FSC® certified)[4] [5] | Q6626B | 610 x 30,5 | 24 x 100 | | | | | | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q6627B | 914 x 30,5 | 36 x 100 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q6628B | 1067 x 30,5 | 42 x 100 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | | ● | | 44 | ● | | | | 44 | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q6630B | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R36A | 914 x 61 | 36 x 200 | ● | | | | | ● | | | | 44[7] | | 44[7] | ●[7] | ●[7] | ●[7] | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | | ●[7] | | | | | | |
| | D9R37A | 1067 x 61 | 42 x 200 | ● | | | | | ● | | | | 44[7] | | 44[7] | ●[7] | ●[7] | ●[7] | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R38A | 1372 x 61 | 54 x 200 | ● | | | | | ● | | | | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R39A | 1524 x 61 | 60 x 200 | ● | | | | | ● | | | | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

# Compatibility & Availability Chart

Printer availability varies by region. Americas includes the United States, Canada, and Latin America. Europe includes Europe, Middle East, and Africa.

## HP Graphics and Technical Printing Materials

| | Part number | Metric size (mm x m) | Imperial size (in x ft) | Region availability: 3-in Core | 2 Pack | 4 Pack | 44-roll Tub | 88-roll Tub | Americas | Japan | Asia (not Japan) | Europe | HP DesignJet Printer/Photo Printer/Multifunction Printer Compatibility and Ink Technology — HP pigment inks: DesignJet Z2100 | DesignJet Z2600 | DesignJet Z3100 | DesignJet Z3200 | DesignJet Z5200 | DesignJet Z5400 | DesignJet Z5600 | DesignJet Z6100 | DesignJet Z6200 | DesignJet Z6600 | DesignJet Z6610 | DesignJet Z6800 | DesignJet Z6810 | DesignJet Z26 | DesignJet Z29+ | HP dye color inks: DesignJet 5000 Dye | DesignJet 5500 Dye | DesignJet D5800 | DesignJet T100/ T120/ T125/ T130 | DesignJet T520/ T525/ T530 | DesignJet T730 | DesignJet T830 MFP | DesignJet T610 | DesignJet T770 | DesignJet T790 | DesignJet T795 | DesignJet T1100 | DesignJet T1120 | DesignJet T1200 | DesignJet T1300 | DesignJet T2300 MFP | DesignJet T920 | DesignJet T930 | DesignJet T1500 | DesignJet T1530 | DesignJet T1600 | DesignJet T2500 MFP | DesignJet T2530 MFP | DesignJet T2600 MFP | DesignJet T3500 MFP | DesignJet T200 | DesignJet T600/Studio | DesignJet XL 3600 MFP | DesignJet T1700 | DesignJet T620 | DesignJet T7100 | DesignJet T7200 | DesignJet 111 | DesignJet 130[3] |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **HP Technical Papers** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Special Inkjet Paper (FSC® certified)[4] [5] | 51631D | 610 x 45,7 | 24 x 150 | | | | | | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | ● | | | | | | | ● | | | | | | | | | | | | | | | ● | | ● | ● | ● | | |
| | 51631E | 914 x 45,7 | 36 x 150 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | ● | | | | | | | 44 | | | | | | | | | | | | | | | ● | | | ● | | | |
| HP Natural Tracing Paper (FSC® certified)[4] [5] | C3869A | 610 x 45,7 | 24 x 150 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | | | ● | | ● | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | |
| | C3868A | 914 x 45,7 | 36 x 150 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | ● | | | | | | | 36 | | | | | | | | | | | | | | | ● | | | 36 | ● | ● | | ● | | |
| HP Translucent Bond Paper [5] | C3860A | 610 x 45,7 | 24 x 150 | | | | | | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | | ● | | ● | | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | |
| | C3859A | 914 x 45,7 | 36 x 150 | | | | | | ● | ● | ● | | 44 | | 44 | ● | ● | ● | ● | | | | | | | ● | | | | | | | 36 | | | | | | | | | | | | | | | ● | | | 36 | ● | ● | | ● | | |
| **HP Films (Graphics and Technical)** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Clear Film [1] | C3876A | 610 x 22,9 | 24 x 75 | | | | | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | | | | ● | | | ● | | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | | | |
| | C3875A | 914 x 22,9 | 36 x 75 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | 36 | | | | | | | | | | | | | | | ● | | | 36 | ● | ● | | ● | | |
| HP Matte Film [1] | 51642A | 610 x 38,1 | 24 x 125 | | | | | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | | | | ● | | | ● | | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | | |
| | 51642B | 914 x 38,1 | 36 x 125 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | 36 | | | | | | | | | | | | | | | ● | | | 36 | ● | ● | | ● | | |
| **HP Photographic Papers** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Premium Matte Photo Paper (FSC® certified)[4] [5] | CG459B | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | | | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | | |
| | CG460B | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | 44 | | | | | | | | | | | | | | | | | | ● | ● | | ● | | | |
| HP Everyday Instant-dry Gloss Photo Paper (FSC® certified)[4] [8] | Q8916A | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8917A | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8918A | 1067 x 30,5 | 42 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8919A | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Everyday Instant-dry Satin Photo Paper (FSC® certified)[4] [8] | Q8920A | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8921A | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8922A | 1067 x 30,5 | 42 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8923A | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CG842A | 1524 x 61 | | | | | | | | | | ● | | | | | | | | 60 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Universal Gloss Photo Paper (FSC® certified)[4] [8] | Q1426B | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | | |
| | Q1427B | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | | ● | | | |
| | Q1428B | 1067 x 30,5 | 42 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| HP Universal Satin Photo Paper (FSC® certified)[4] [8] | Q1420B | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | | |
| | Q1421B | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | | | | | | ● | ● | | ● | | | |
| | Q1422B | 1067 x 30,5 | 42 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | | | | | | | | | | ● | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| HP Universal Instant-dry Gloss Photo Paper (FSC® certified)[4] [8] | Q6574A | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | | | ● | | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | |
| | Q6575A | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | 36 | | | | | | | | | | | | | | | ● | | | 36 | ● | ● | | ● | | |
| | Q6576A | 1067 x 30,5 | 42 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q6578A | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8754A | 1067 x 61 | 42 x 200 | | | | | | ● | | | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8756A | 1524 x 61 | 60 x 200 | | | | | | ● | | | ● | | | | | | | | 60 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Universal Instant-dry Satin Photo Paper (FSC® certified)[4] [8] | Q6579A | 610 x 30,5 | 24 x 100 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | | | ● | | ● | | | | | | | | | | | | | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | |
| | Q6580A | 914 x 30,5 | 36 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | 36 | | | | | | | | | | | | | | | ● | | | 36 | ● | ● | | ● | | |
| | Q6581A | 1067 x 30,5 | 42 x 100 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q6582A | 1270 x 30,5 | 50 x 100 | | | | | | ● | ● | ● | | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q6583A | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8755A | 1067 x 61 | 42 x 200 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8757A | 1524 x 61 | 60 x 200 | | | | | | ● | | | ● | | | | | | | | 60 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Premium Instant-dry Gloss Photo Paper (FSC® certified)[4] [8] | Q7991A | 610 x 22,9 | 24 x 75 | | | | | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q7993A | 914 x 30,5 | 36 x 100 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q7995A | 1067 x 30,5 | 42 x 100 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q7997A | 1270 x 30,5 | 50 x 100 | | | | | | ● | | | | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q7999A | 1524 x 30,5 | 60 x 100 | | | | | | ● | | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Premium Instant-dry Satin Photo Paper (FSC® certified)[4] [8] | Q7992A | 610 x 22,9 | 24 x 75 | | | | | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q7994A | 914 x 30,5 | 36 x 100 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q7996A | 1067 x 30,5 | 42 x 100 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | ● | | | | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q7998A | 1270 x 30,5 | 50 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8000A | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Professional Instant-dry Satin Photo Paper (FSC® certified)[4] [8] | Q8759A | 610 x 15,2 | 24 x 50 | ● | | | | | ● | ● | ● | ● | ●[7] | | ●[7] | ●[7] | | ●[7] | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8840A | 1118 x 15,2 | 44 x 50 | ● | | | | | ● | ● | ● | ● | 44[7] | | 44[7] | ●[7] | | 60[7] | | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

# Compatibility & Availability Chart

Printer availability varies by region. Americas includes the United States, Canada, and Latin America. Europe includes Europe, Middle East, and Africa.

## HP Graphics and Technical Printing Materials

| | Part number | Metric size (mm x m) | Imperial size (in x ft) | Region availability: 3-in Core | 2 Pack | 4 Pack | 44-roll Tub | 88-roll Tub | Americas | Japan | Asia (not Japan) | Europe | HP DesignJet Printer/Photo Printer/Multifunction Printer Compatibility and Ink Technology — HP pigment inks: DesignJet Z2100 | DesignJet Z2600 | DesignJet Z3100 | DesignJet Z3200 | DesignJet Z5200 | DesignJet Z5400 | DesignJet Z5600 | DesignJet Z6100 | DesignJet Z6200 | DesignJet Z6600 | DesignJet Z6610 | DesignJet Z6800 | DesignJet Z6810 | DesignJet Z26 | DesignJet Z29+ | HP dye color inks: DesignJet 5000 Dye | DesignJet 5500 Dye | DesignJet D5800 | DesignJet T100/ T120/ T125/ T130 | DesignJet T520/ T525/ T530 | DesignJet T730 | DesignJet T830 MFP | DesignJet T610 | DesignJet T770 | DesignJet T790 | DesignJet T795 | DesignJet T1100 | DesignJet T1120 | DesignJet T1200 | DesignJet T1300 | DesignJet T2300 MFP | DesignJet T920 | DesignJet T930 | DesignJet T1500 | DesignJet T1530 | DesignJet T1600 | DesignJet T2500 MFP | DesignJet T2530 MFP | DesignJet T2600 MFP | DesignJet T3500 MFP | DesignJet T200 | DesignJet T600/Studio | DesignJet XL 3600 MFP | DesignJet T1700 | DesignJet T620 | DesignJet T7100 | DesignJet T7200 | DesignJet T111 | DesignJet T130 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **HP Backlit Materials** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Backlit Polyester Film ♻[1] | CR660B | 914 x 30,5 | 36 x 100 | ● | | | | | ● | ● | ● | ● | 44[7] | | | 44[7,9] | ●[7] | ●[7] | ●[7] | | ●[7] | | 44[7] | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | ●[7] | | | |
| | CR661B | 1067 x 30,5 | 42 x 100 | ● | | | | | ● | ● | ● | ● | 44[7] | | | 44[7,9] | ●[7] | ●[7] | ●[7] | | ●[7] | | 44[7] | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | ●[7] | | | |
| | CR662B | 1372 x 30,5 | 54 x 100 | ● | | | | | ● | ● | ● | ● | | | | | | | | 60[7] | 60[7] | | | | | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CR663B | 1524 x 30,5 | 60 x 100 | ● | | | | | ● | ● | ● | ● | | | | | | | | 60[7] | 60[7] | | | | | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Premium Vivid Color Backlit Film ♻[1] | Q8747A | 914 x 30,5 | 36 x 100 | | | | | | ● | | ● | ● | 44 | | | 44[9] | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| | Q8748A | 1067 x 30,5 | 42 x 100 | | | | | | ● | | ● | ● | 44 | | | 44[9] | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| | Q8749A | 1372 x 30,5 | 54 x 100 | | | | | | ● | | ● | ● | | | | | | | | 60 | 60 | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q8750A | 1524 x 30,5 | 60 x 100 | | | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **HP Self-adhesive Materials** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Removable Adhesive Fabric (REACH compliant)[10] | 8SU04A | 610 x 30,5 | 24 x 100 | ● | | | | | ● | | | ● | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | ●[7] | | ●[7] | | | | | ●[7] | 36[7] | | | | | | | | | ●[7] | | | | | | | | | | ●[7] | ●[7] | ● | ● | ●[7] | | ●[7] | | |
| | 8SU06A | 1067 x 30,5 | 42 x 100 | ● | | | | | ● | | | ● | 44[7] | | | 44[7] | ●[7] | ●[7] | ●[7] | ●[7] | | ●[7] | | 44[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | ●[7] | | | |
| | 8SU09A | 1524 x 30,5 | 60 x 100 | ● | | | | | ● | | | ● | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Everyday Adhesive Gloss Polypropylene | C0F28A | 914 x 22,9 | 36 x 75 | | ● | | | | ● | | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | 36 | ● | ● | ● | | | | | | | | | | | |
| | C0F29A | 1067 x 22,9 | 42 x 75 | | ● | | | | ● | | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| HP Everyday Adhesive Matte Polypropylene | C0F18A | 610 x 22,9 | 24 x 75 | | ● | | | | ● | | ● | ● | ● | ● | | ● | ● | ● | ● | | ● | | ● | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | ● | ● | ● | ● | | | | | | | |
| | C0F19A | 914 x 22,9 | 36 x 75 | | ● | | | | ● | | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | 36 | ● | ● | ● | | | | | | | |
| | C0F20A | 1067 x 22,9 | 42 x 75 | | ● | | | | ● | | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| | C0F22A | 1524 x 22,9 | 60 x 75 | | ● | | | | ● | | ● | ● | | | | | | | | 60 | 60 | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R24A | 914 x 30,5 | 36 x 100 | ● | | | | | ● | | | ● | 44[7] | | | 44[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | 44[7] | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | ● | ●[7] | | ●[7] | | | |
| | D9R25A | 1067 x 30,5 | 42 x 100 | ● | | | | | ● | | | ● | 44[7] | | | 44[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | 44[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | ●[7] | | | |
| | D9R26A | 1270 x 30,5 | 50 x 100 | ● | | | | | ● | | | ● | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R27A | 1524 x 30,5 | 60 x 100 | ● | | | | | ● | | | | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Universal Adhesive Vinyl (REACH compliant)[10] | C2T51A | 914 x 20 | 36 x 65 | | ● | | | | ● | | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | 36 | ● | ● | ● | | | | | | | |
| | C2T52A | 1067 x 20 | 42 x 65 | | ● | | | | ● | | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | | | ● | ● | | | | | | | |
| **HP Banner and Sign Materials** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Everyday Matte Polypropylene ♻[1] | CH022A | 610 x 30,5 | 24 x 100 | | ● | | | | ● | ● | ● | ● | ● | ● | | ● | ● | ● | ● | | ● | | ● | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | ● | ● | ● | ● | | | | | | | |
| | CH023A | 914 x 30,5 | 36 x 100 | | ● | | | | ● | ● | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | 36 | ● | ● | ● | | | | | | | |
| | CH025A | 1067 x 30,5 | 42 x 100 | | ● | | | | ● | ● | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | | | ● | ● | | | | | | | |
| | CH026A | 1270 x 30,5 | 50 x 100 | | ● | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CH027A | 1524 x 30,5 | 60 x 100 | | ● | | | | ● | ● | ● | ● | | | | | | | | 60 | 60 | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CH024A | 914 x 61 | 36 x 200 | | ● | | | | ● | ● | ● | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | ● | | | | ● | | | | | | | | |
| | D9R28A | 914 x 61 | 36 x 200 | ● | | | | | ● | | | ● | 44[7] | | | | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | 44[7] | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | ● | | | | ●[7] | | | | | | | | |
| | D9R29A | 1067 x 61 | 42 x 200 | ● | | | | | ● | | | ● | 44[7] | | | 44[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | 44[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R30A | 1270 x 61 | 50 x 200 | ● | | | | | ● | | | ● | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | D9R31A | 1524 x 61 | 60 x 200 | ● | | | | | ● | | | ● | | | | | | | | 60[7] | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Everyday Blockout Display Film (REACH compliant)[10] | Y3Z17A | 914 x 30,5 | 36 x 100 | ● | | | | | ● | | | ● | 44[7] | | | 44[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | 44[7] | | | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ●[7] | | ●[7] | | | |
| | Y3Z19A | 1270 x 30,5 | | ● | | | | | ● | | | ● | | | | | | | | 60[7] | 60[7] | | | | | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Y3Z20A | 1524 x 30,5 | 60 x 100 | ● | | | | | ● | | | ● | | | | | | | | 60[7] | 60[7] | | | | | 60[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Premium Matte Polypropylene ♻[1] | C2T53A | 914 x 22,9 | 36 x 75 | | ● | | | | ● | | | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | ● | ● | | | | | | | |
| | C2T54A | 1067 x 22,9 | 42 x 75 | | ● | | | | ● | | | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | ● | | ● | | | |
| | C5G02A | 1524 x 22,9 | 60 x 75 | | ● | | | | ● | | | ● | | | | | | | | 60 | 60 | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Durable Semi-gloss Display Film | Q6620B | 914 x 15,2 | 36 x 50 | | | | | | ● | | | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Durable Synthetic Banner ♻[1] | C0F12A | 914 x 22,9 | 36 x 75 | | ● | | | | ● | | | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | C0F13A | 1067 x 22,9 | 42 x 75 | | ● | | | | ● | | | ● | 44 | | | 44 | ● | ● | ● | | ● | | 44 | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | C0F14A | 1524 x 22,9 | 60 x 75 | | ● | | | | ● | | | | | | | | | | | 60 | 60 | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Durable Foldable Document Material ♻[1] | 7XN51A | 610 x 9,1 | 24 x 30 | ● | | | | | ● | | | | ●[7] | | | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | ●[7] | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | ● | | | | | | | | | | | | |
| | 7XN47A | 610 x 45,7 | 24 x 150 | ● | | | | | ● | | | | ●[7] | | | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | ●[7] | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | ● | | | | | | | | | | | | |
| | 7XN48A | 914 x 45,7 | 36 x 150 | ● | | | | | ● | | | | 44[7] | | | 44[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | 44[7] | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | ● | | | | | | | | | | | | |
| | 7XN49A | 1016x 45,7 | 40 x 150 | ● | | | | | ● | | | | 44[7] | | | 44[7] | ●[7] | ●[7] | ●[7] | ●[7] | ●[7] | | 44[7] | | | | | | | | | | | | | | | | ●[7] | | | | | | | | | | | | ● | | | | | | | | | | | | |
| | 2HY23A | 279 x 91,4 | 11 x 300 | ● | ● | | | | ● | | | | | | | | | | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2HY24A | 610 x 91,4 | 24 x 300 | ● | | | | | ● | | | | | | | | | | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2HY25A | 914 x 91,4 | 36 x 300 | ● | | | | | ● | | | | | | | | | | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 2HY26A | 1016 x 91,4 | 40 x 300 | ● | | | | | ● | | | | | | | | | | | ●[7] | ●[7] | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

# Compatibility & Availability Chart

Printer availability varies by region. Americas includes the United States, Canada, and Latin America. Europe includes Europe, Middle East, and Africa.

## HP Graphics and Technical Printing Materials

| | Part number | Metric size (mm x m) | Imperial size (in x ft) | 3-in Core | 2 Pack | 4 Pack | 44-roll Tub | 88-roll Tub | Region availability: Americas | Japan | Asia (not Japan) | Europe | HP DesignJet Printer/Photo Printer/Multifunction Printer Compatibility and Ink Technology — HP pigment inks: DesignJet Z2100 | DesignJet Z2600 | DesignJet Z3100 | DesignJet Z3200 | DesignJet Z5200 | DesignJet Z5400 | DesignJet Z5600 | DesignJet Z6100 | DesignJet Z6200 | DesignJet Z6600 | DesignJet Z6610 | DesignJet Z6800 | DesignJet Z6810 | DesignJet Z26 | DesignJet Z29+ | HP dye color inks: DesignJet 5000 Dye | DesignJet 5500 Dye | DesignJet D5800 | DesignJet T100/T120/T125/T130 | DesignJet T520/T525/T530 | DesignJet T730 | DesignJet T830 MFP | DesignJet T610 | DesignJet T770 | DesignJet T790 | DesignJet T795 | DesignJet T1100 | DesignJet T1120 | DesignJet T1200 | DesignJet T1300 | DesignJet T2300 MFP | DesignJet T920 | DesignJet T930 | DesignJet T1500 | DesignJet T1530 | DesignJet T1600 | DesignJet T2500 MFP | DesignJet T2530 MFP | DesignJet T2600 MFP | DesignJet T3500 MFP | DesignJet T200 | DesignJet T600/Studio | DesignJet XL 3600 MFP | DesignJet T1700 | DesignJet T620 | DesignJet T7100 | DesignJet T7200 | DesignJet 111 | DesignJet 130 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **HP Banner and Sign Materials (continued)** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Opaque Scrim (REACH compliant)[10] | Q8675C | 610 x 15,2 | 24 x 50 | | | | | | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | ● | | ● | ● | | | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | | | | | | |
| | Q1898C | 914 x 15,2 | 36 x 50 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | ● | | ● | | | | 44 | ● | | | | | | | | | | | | | | | | | | ● | | | ● | | | | | | | | | | | | | |
| | Q1899C | 1067 x 15,2 | 42 x 50 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | ● | ● | | ● | | | | 44 | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1901C | 1372 x 15,2 | 54 x 50 | | | | | | ● | | | | | | | | | | 60 | 60 | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Q1902C | 1524 x 15,2 | 60 x 50 | | | | | | ● | | | ● | | | | | | | 60 | 60 | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Production Banner (REACH compliant)[10] | 3WW63A | 610 x 30,5 | 24 x 100 | ● | | | | | ● | | | | | 7 | | | | 7 | 7 | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3PQ17A | 914 x 30,5 | 36 x 100 | ● | | | | | ● | | | | | | | | | 7 | 7 | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3WW64A | 1016 x 30,5 | 40 x 100 | ● | | | | | ● | | | | | | | | | 7 | 7 | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **HP Fine Art Printing Materials** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Recycled Satin Canvas[1] (REACH compliant)[10] | 4NT70A | 610 x 15,2 | 24 x 50 | | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4NT71A | 914 x 15,2 | 36 x 50 | | | | | | ● | | | ● | 44 | | 44 | ● | ● | ● | | | ● | | | | 44 | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4NT73A | 1118 x 15,2 | 44 x 50 | | | | | | ● | | ● | ● | 44 | | 44 | ● | ● | 60 | 60 | | ● | | | | 44 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4NT74A | 1524 x 15,2 | 60 x 50 | | | | | | ● | | | ● | | | | | | 60 | 60 | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Artist Matte Canvas | E4J54B | 610 x 15,2 | 24 x 50 | | | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | E4J55B | 914 x 15,2 | 36 x 50 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | | ● | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | E4J56B | 1067 x 15,2 | 42 x 50 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | ● | | | ● | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | E4J57A | 1118 x 15,2 | 44 x 50 | | | | | | ● | ● | ● | ● | 44 | | 44 | ● | ● | 60 | 60 | | ● | | | | 44 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | E4J58B | 1524 x 15,2 | 60 x 50 | | | | | | ● | ● | ● | ● | | | | | | 60 | 60 | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Professional Matte Canvas | E4J59C | 610 x 15,2 | 24 x 50 | | | | | | ● | | | ● | ● | | ● | ● | ● | ● | ● | | ● | | | | ● | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | E4J60B | 914 x 15,2 | 36 x 50 | | | | | | ● | | | ● | 44 | | 44 | ● | ● | ● | | | ● | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | E4J61B | 1067 x 15,2 | 42 x 50 | | | | | | ● | | | ● | 44 | | 44 | ● | ● | ● | | | ● | | | | 44 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | J3E86A | 1118 x 15,2 | 44 x 50 | | | | | | ● | | | ● | 44 | | 44 | ● | ● | 60 | 60 | | ● | | | | 44 | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | J3E87B | 1524 x 15,2 | 60 x 50 | | | | | | ● | | | ● | | | | | | 60 | 60 | | | | | | 60 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HP Matte Litho-realistic Paper (FSC® certified)[4] [5] | K6B77A | 610 x 30,5 | 24 x 100 | ● | | | | | ● | ● | ● | ● | ● | 7 | ● | 7 | ● | 7 | ● | 7 | ● | 7 | ● | 7 | ● | 7 | ● | 7 | ● | 7 | ● | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | K6B78A | 914 x 30,5 | 36 x 100 | ● | | | | | ● | ● | ● | ● | 44 | 7 | | 44 | 7 | ● | 7 | ● | 7 | ● | 7 | ● | 7 | 44 | 7 | ● | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | K6B80A | 1118 x 30,5 | 44 x 100 | ● | | | | | ● | ● | ● | ● | 44 | 7 | | 44 | 7 | ● | 7 | 60 | 7 | 60 | 7 | 60 | 7 | 44 | 7 | 60 | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | K6B82A | 1524 x 30,5 | 60 x 100 | ● | | | | | ● | | | ● | | | | | | 60 | 7 | 60 | 7 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Take advantage of free return through the HP Large Format Media take-back program.

FSC®-certified HP printing materials carry the Forest Stewardship Council® (FSC) Mix label, signifying that these media support the development of responsible forest management worldwide.

Note: Not all FSC®-certified products are available in all regions.

REACH (Registration, Evaluation, Authorization, and Restriction of Chemicals) is a regulation of the European Union, adopted to improve the protection of human health and the environment from risks that can be posed by chemicals.

The following HP large format printing materials have approved fire certifications. For more information see **HPLFMedia.com/hp/en/flame-resistant**.

| | B1 | NFPA | Class A | ASTM E84 | ASTM E84-16 |
|---|---|---|---|---|---|
| HP Opaque Scrim | ● | ● | | | |
| HP Removable Adhesive Fabric | | | ● | ● | |
| HP Backlit Polyester Film | | | | | ● |

36 Compatible only with the 36-inch (914 mm) version of the printer series.

44 Compatible only with the 44-inch (1118 mm) version of the printer series.

60 Compatible only with the 60-inch (1524 mm) version of the printer series.

1 HP Large Format Media take-back program availability varies. Programs may not exist in your area. See **HPLFMedia.com/ecosolutions** for details.

2 Visit **hp.com/recycle** to see how to participate and for HP Planet Partners program features and availability; program may not be available in your area. Where this program is not available, and for other consumables not included in the program, consult the Material Safety Data Sheet (MSDS) available at **hp.com/go/ecodata** to determine appropriate disposal.

3 Roll feed accessory required.

4 BMG trademark license code FSC®-C115319, see **fsc.org**. HP trademark licence code FSC®-C017543, see **fsc.org**. Not all FSC®-certified products are available in all regions.

5 Can be recycled through commonly available recycling programs.

6 Additional sizes available, please visit **HPLFMedia.com**.

7 Requires 3-in core adapter.

8 Papers can be recycled according to region-specific practices. In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.

9 Compatible with the HP DesignJet Z3200 Photo Printer series only.

10 As of the date of this document, this product does not contain any of the chemicals on the EU's Candidate List for Authorization (otherwise known as Substances of Very High Concern) in concentrations exceeding 0.1%. To determine the status of SVHC in HP products, see the HP REACH Article 33 Declaration published at HP Printing Products and Consumable Supplies at **hp.com/hpinfo/globalcitizenship/environment/productdata/reachall-products.html**. Logo source: Copyright European Chemicals Agency.

11 100% of total PET resin in the product made from recycled water bottles. The coating does not contain recycled materials. Certified according to Global Recycled Standard (GRS) Version 3.0, March 2017.

# How to order

## HP technical and graphics large format printing materials

Explore the wide range of different types of printing materials, specifically designed to meet the demands of graphics and technical professionals.

**Order online at** HPLFMedia.com **or https://hp.globalbmg.com/en**

**Americas**

- U.S., Canada: 888-893-4668
- Mexico, Latin America: +01-800-681-6740

**Europe, Middle East, and Africa**

- Spain & Portugal: +34 935 479 700
- United Kingdom & Ireland: +44 (24) 7527 9913
- France: +34 935 479 700
- Italy: +39 02 9475 4971
- Germany: +34 935 479 700
- Alps, Benelux & Nordics: +32 28 080 750
- Central & Eastern Europe: +49 (0) 3030 806 625

**Asia Paci ic**

- Australia: +61 2 8038 5013
- Singapore: +65 3158 4677

We look forward to working with you and providing you with the best possible products, service, and support. For more information, visit our website at: http://HPLFMedia.com or https://hp.globalbmg.com/en

**For detailed information on the HP large format printing materials portfolio and to order, visit HPLFMedia.com**

BRANDmanagementGROUP