

Xerox Phaser 7800GX Laser Printer Printing from a Mac using InDesign

Before You Begin

- There are only 2 sizes of paper available
 - Letter 8 ½ x 11
 - o Tabloid 11 x 17
- You cannot use your own paper in the printer.
- Make sure your document is on the Temporary Storage or the Desktop
- Check that your document is in **8-bit RGB** mode
- Edit in the Adobe RGB (1998) color space
- Make sure your document is flattened

Things to Avoid

- Do not print from your server space the job will take significantly longer to, and may not print at all
- Do not print from an external drive the chances of your document actually printing are next to 0.
- Do not print documents with layers this will significantly increase the amount of time it takes the printer to process the job and print.
- JPEGs are to be avoided some will print, and some will not.

Printing Your Document

1. From the File Menu, select Print



2. Click on Setup



3. If the Print windows looks like this, click Show Details

Print	
Printer: ADDM-PHASER	\$
Copies: 1 🗘 🗹 Two-Sided Pages: All 💠	
? PDF T Show Details	Cancel Print

4. Now click on Layout

	Print
Printer: ADD Presets: Defa Copies: 1 Pages: • Al Fro Laye	M-PHASER : ault Settings : om: 1 to: 1
1	Pages per Sheet: 1 : Layout Direction: Border: None : Reverse page orientation Flip horizontally
(?) PDF Hide Details	Cancel Print

5.	Select Xerox features,	which will l	bring up	this window
----	------------------------	--------------	----------	-------------

Copies:	Default Settings	
Paper Size:	US Letter : a	50 by 11.00 inches
	Xerox Features	:
	Paper/Output	•
2-Sid P Ourput I	Paper:	ect

To select the paper type (e.g. weight)
 For Normal paper, select Plain

For Cardstock paper, select Cardstock

	Print		
Printer: ADDM-PHASER	1	•	
Presets: Default Setting	5	•	
Copies:			
Paper Size: US Letter	\$ 8.50 8	y 11.00 i	inches
Xerox Features			
Paper/Output		•	
Job Type:	Normal Print	•	
Paper V Oth	er Color er Type		Automatically Select
2-Sided Printing:	1-Sided Print		Printer Default Type
Rin Custor 🦉	Mara Mada		V Rain
rinc quarty.	Photo Mode	-	Hole Punched
Output Destination: Aut	omatically Select	-	Transparency
			🕝 Letterhead
			Ughtweight Cardstock
			Cardstock
			Heavyweight Cardstock
		-	Recycled
PDF Hide Details		c	Labels
			Re-Printed
			Envelope
			Lightweight Glossy Cardstock
		- 1	Glossy Cardstock
		- 1	Extra Heavyweight Glossy Cardstock
		- 1	Heavyweight Glossy Cardstock
		- 1	Extra Heavyweight Cardstock
			Custom Type 1
			Custom Type 2
			Custom Type 3
			Custom Type 4
		- 1	Custom Type 5

7. Set the Print Quality. For photographic materials, we suggest Photo Mode

ADDM-PHASER	
Default Settings	1
T I	
US Letter : a	1.50 by 11.00 inches
Xerox Features	
Paper/Output	
(72)	
Job Type: Normal Print	
Paper: 2:00	
ed Printing	
rint Quality / Chandrad	i i
Posto Mode	
Destination	
	8
	ADDM-PHASER Default Settings US Letter : I Xerox Features Paper/Output Job Type: Normal Print Paper: - sum ed Printing rint Quality = Standard Destination Photo Mode

8. Click on Save

	Print	
Printer: Presets:	ADDM-PHASER Default Settings	:
Copies: Paper Size:	US Letter :	8.50 by 11.00 inches
	Xerox Features	
2-Sid Pr Output D	Job Type: Normal Prin Paper: - minu ed Printing: 1-Sided Printing: Int Quality: Photo Mode Destination: Automatically S	nt 0
() PDF + Hide De	tais	Cancel

9. After you return to the Illustrator Print window, select Color Management

and the second	Print	and the second		
Print P	rreset: [Default] rinter: ADDM-PHASER PPD: Xerox Phaser 7800CX			
Ceneral	Ceneral			
Setivo				
Marks and Elect	Contras Inc.	- Annone Andre		
Output	Copies: B	Reverse Order		
Craphics	Pages			
Color Management	Paper: • All IC-C	<u>ы</u> н н		
Advanced	A Report D	-		
Summary	- Hanges E			
	Sequence: All Pages *			
	Pages			
	Soreads			
	Print Master Pages			
	Octions			
	Mart I many Vicible & Brief	Ma I man		
	Prink Cayers. Wisione or Prints	iele capers ·		
Print Non-printing Objects				
	Print Blank Pages			
	II Print Visible Cuides and Esseline Cris	4		
	Fine visible Gardes and baseline Gri	<i>a</i>		
Page Setup Pri	nter Save Preset Car	icel Print		

10. For Color Handling, select Let PostScript printer determine colors



11. Click on Print

Print			
	Print Preset: Custom		
Ceneral Marks and Bleed Output Craphics Color Management	Color Management Print Method Document Profile: U.S. Web Coated (SWOP) v2		
Advanced Summary	Color Handling: Let PostScript® printer determine colors Printer Profile: N/A		
	Rendering Intent: Relative Colorimetric V Preserve CMYK Numbers		
	Description		
Document: 612 pt x 792 pt Media: 632 pt x 792 pt Page Setup	Done Cancel	- Nix	